From: Tzhone, Stephen

**Sent:** Monday, January 26, 2015 3:55 PM

To: Mescher, Jean A
Cc: Moix, Mark

**Subject:** RE: [FWD: Results: Arkwood -- 1.13.15]

Hi Jean,

Electronic attachment received, thanks.

Thanks,

Stephen L. Tzhone Superfund Remedial Project Manager 214.665.8409 tzhone.stephen@epa.gov

From: Mescher, Jean A [mailto:Jean.Mescher@McKesson.com]

Sent: Monday, January 26, 2015 3:11 PM

To: Tzhone, Stephen; Moix, Mark

Subject: FW: [FWD: Results: Arkwood -- 1.13.15]

Stephen and Mark,

Please see attached analytical data for the sampling that occurred on January 13, 2015: 88.4 ppb PCP at the mouth and <1.00 ppb PCP at the weir.

Jean

**From:** ifleer@oxfordeands.com [mailto:ifleer@oxfordeands.com]

Sent: Sunday, January 25, 2015 10:19 AM

To: Mescher, Jean A

**Subject:** [FWD: Results: Arkwood -- 1.13.15]

Good morning Jean,

Attached are the sampling results for the Arkwood site collected in January 2015. The results are consistent with recent results.

If you have any questions, please do not hesitate to contact me.

Best Regards,

Jim

James E. Fleer Principal Engineer Oxford Environmental and Safety, Inc. 913-706-3422

jfleer@oxfordeands.com



1

----- Original Message ------

Subject: Results: Arkwood -- 1.13.15

From: "Amanda Forbush" <a href="mailto:aforbush@arkansasanalytical.com">aforbush@arkansasanalytical.com</a>>

Date: Wed, January 21, 2015 3:23 pm To: "Jim Fleer" < <a href="mailto:jfleer@oxfordeands.com">jfleer@oxfordeands.com</a>>

Thank you,

Amanda Forbush

www.arkansasanalytical.com

Business Hours: Mon-Thur - 8am-5pm, Fri - 8am-4pm

11701 Interstate 30 Bldg. 1, Ste. 115 Little Rock, AR 72209 501-455-3233 501-455-6118 (fax)

This e-mail and any attachments are confidential. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.